

JOURNAL ARTICLES

Postlaunch evidence-generation studies for medical devices in Spain: the RedETS approach to integrate real-world evidence into decision making. <i>Int J Technol Assess Health Care</i> . 2021;37(1):e6 	>
Appropriateness of newborn screening for classic galactosaemia: a systematic review. Varela-Lema L, Paz-Valinas L, Atienza-Merino G, Zubizarreta-Alberdi R, Villares RV, López-García M. <i>J Inherit Metab Dis</i> . 2016 Sep;39(5):633-49. 	>
Autologous chondrocyte implantation: a systematic review. Ruano-Ravina A, Jato Díaz M. <i>Osteoarthritis & Cartilage</i> . 2006;14:47-51 	>
Clinical effectiveness and quality of life of conventional haemodialysis versus short daily haemodialysis. A systematic review. Puñal Rioboo J, Varela Lema L, Sánchez-Guisende D, Ruano-Ravina A. <i>Nephrol Dial</i> 2008;23(8):2634-46 	>
Descemet's stripping automated endothelial keratoplasty (DSAEK). Systematic review of clinical-effectiveness and safety. Paz-Valiñas L, de la Fuente-Cid R, de Rojas-Silva MV, López-Rodríguez I, López-García M. 2015;90(4):164-79 	>
Developing a prioritized list of innovative technologies: the Spanish experience. Varela-Lema L, De la Fuente Cid R, López-García M. <i>Int J Technol Assess Health Care</i> . 2014; 30(6): 626-33. 	>
Development and use of a quality scale for assessing studies that analyze the diagnostic capacity of capsule endoscopy. Varela Lema L, Ruano-Raviña A. <i>Endoscopy</i> . 2006; 38:1261-1267 	>
Effectiveness and safety of capsule endoscopy in the diagnosis of small bowel diseases. Varela-Lema L, Ruano-Raviña A. <i>J Clin Gastroenterol</i> . 2008;42(5):466-71. 	>
Effectiveness and safety of endobronchial ultrasound-transbronchial needle aspiration: a systematic review. Varela-Lema L, Fernández-Villar A, Ruano-Ravina A. <i>Eur Respir J</i> . 2009;33(5):1156-64 	>
Efficacy and safety of intraarticular hyaluronic acid in the treatment of hip osteoarthritis: a systematic review <i>Osteoarthritis Cartilage</i> . Fernández López JC, Ruano-Ravina A. 2006 ;14(12):1306-11 	>
Efficacy and Safety of Intraoperative Radiotherapy in Breast Cancer: A Systematic Review. Ruano-Ravina A, Cantero-Muñoz P, Eraso-Urién A. <i>Cancer Lett</i> . 2011;313(1):15-25. doi: 10.1016/j.canlet.2011.08.020 	>

Efficacy and safety of intraoperative radiotherapy in colorectal cancer: A systematic review. Cantero-Muñoz P, Urién MA, Ruano-Raviña A. Cancer Lett. 2011;306(2):121-33. 	>
Health technology assessment in Spain. Granados A, Sampietro-Colom L, Asua J, Conde J, Vazquez-Albertino R. Int J Technol Assess Health Care. 2000;16:532-59 	>
History of health technology assessment: Spain. Sampietro-Colom L, Asua J, Briones E, Gol J, AuNETS Group. Int J Technol Assess Health Care. 2009; 25 suppl 1:163-73. 	>
Influence of early dialysis among patients with advanced chronic renal disease: results of a systematic review. Cantero-Muñoz P, Ruano-Raviña A, Otero-González A, Sánchez-Guisande D, González Rodríguez L. Nephrol Dial Transplant. 2010;25(8):2414-21. 	>
Intraoperative radiotherapy in pancreatic câncer. A systematic review. Ruano-Ravina A, Almazán Ortega R, Guedea F. Radiother Oncol 2008; 87(3): 318-25. 	>
Is copper-silver ionisation safe and effective in controlling legionella?. Perez Cachafeiro S, Mato Naveira I, González García I. J Hosp Infect. 2007 Nov;67(3):209-16 	>
Linear accelerator stereotactic radiosurgery for trigeminal neuralgia. Varela-Lema L, Lopez-Garcia M, Maceira-Rozas M, Munoz-Garzon V. Pain Physician. 2015;18(1):15-27. 	>
Making processes reliable: A validated PubMed search strategy for identifying new or emerging technologies. Int J Technol Assess Health Care. Varela-Lema L, Puñal-Riobóo J, Casal-Acción B, Ruano-Raviña A, López-García M. 2012; 28(4):452-9 	>
Management of obstructive salivary disorders by sialendoscopy: a systematic review. Atienza G, López-Cedrún JL. Br J Oral Maxillofac Surg. 2015;53(6):507-519. doi: 10.1016/j.bjoms.2015.02.024 	>
Observation of health technologies after their introduction into clinical practice: a systematic review on data collection instruments. Varela-Lema L, Ruano-Ravina A, Cerdá Mota T. J Eval Clin Pract. 2012;18(6):1163-9. doi: 10.1111/j.1365-2753.2011.01 	>
Post-introduction observation of transcatheter aortic valve implantation in Galicia (Spain). Varela-Lema L, Queiro-Verdes T, Baz-Alonso JA, Cuenca-Castillo JJ, Durán-Muñoz, et al. J Eval Clin Pract. 2015;21(1):34-42. doi: 10.1111/jep.12225 	>
Post-marketing health technology monitoring. The analysis of an experience from a clinical perspective. Ibargoyen-Roteta N, et al. Front Pharmacol. 2011;2:45. doi: 10.3389/fphar.2011.00045 	>
Recommendations for treatment with IMRT for prostate and head-neck cancer. Maceira Rozas MC, Rey Liste T, García Caeiro A. Clin Transl Oncol. 2006; 8(4):262-5 	>

Safety and efficacy of mechanical thrombectomy using stent retrievers in the endovascular treatment of acute ischaemic stroke: a systematic review. Puñal-Riobóo J, Atienza G, Blanco M. Interv Neurol. 2015; 3:149-164. DOI: 10.1159/00043 



Short Daily versus Conventional Hemodialysis Quality of Life: A Cross-Sectional Multicentric Study in Spain. Puñal Riobóo J, Sánchez-Iriso E, Ruano-Ravina A, Varela Lema ML, Sánchez-Guisande D, González-Rodríguez L, [et al.] Blood Purif. 2009;28(3):159-1 



Spanish Experience in Autologous Chondrocyte Implantation. Pérez-Cachafeiro S, Ruano-Raviña A, Couceiro-Follente J, Benedí-Alcaine JA, Nebot-Sanchis I, Casquete-Román C, et al. Open Orthop J. 2009; 3: 157-69. 

